

## **Delaire's Eye**

**Nicolas GOOSSENS** <sup>4</sup> Mai-Khanh LE-DACHEUX <sup>123</sup>



### **Institutions/Affiliations :**

- <sup>1</sup> Hôpital Necker-Enfants Malades, Service de Chirurgie Maxillo-Faciale et Plastique, Centre de Référence Fentes et Malformations Faciales (MAFACE), 149 rue de Sèvre, 75015 Paris, France
- <sup>2</sup> Institut de l'Enfant, Clinique Marcel Sembat, Pôle de prise en charge pluridisciplinaire du ronflement et des apnées obstructives du sommeil (SAOS) de l'enfant, 105 avenue Victor Hugo, 92100 Boulogne- Billancourt, France
- <sup>3</sup> Cabinet d'Orthodontie, 84bis rue de Paris, 92100 Boulogne-Billancourt, France
- <sup>4</sup> Cabinet d'Orthodontie, 38 rue Aristide Briand, 77100 Meaux, France

In their daily practice, orthodontists prescribe additional examinations such as dental panoramic and lateral and face cephalograms.

The analysis of these radiographs is essential to define a right diagnosis and thus optimize the treatment management. But do we really take the time to look at all the clues on these X-rays that are available to us?

At first glance, radiological signs of various dysmorphic disorders can quickly be detected before formal cephalometric analysis. So, let's open our eyes together!

During this presentation, we will explain and demonstrate a methodology for such radiological analysis. We hope to awaken the detective within you.